

Package ‘istacr’

July 9, 2026

Type Package

Title Obtaining Open Data from Instituto Canario De Estadistica (ISTAC) API

Version 0.3.1

Date 2026-07-09

Maintainer Elisa Jorge <ejorgon@gobiernodecanarias.org>

Description You can access to open data published in Instituto Canario De Estadistica (ISTAC) APIs at <<https://datos.canarias.es/api/estadisticas/>>.

License GPL (>= 3)

Encoding UTF-8

LazyData true

Imports jsonlite,
utils,
httr

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Depends R (>= 3.5)

Contents

change_api_url	3
get_indicators	3
get_indicators_code	4
get_indicators_code_data	5
get_indicators_geographical_values	5
get_indicators_geographic_granularities	6
get_indicators_subjects	7
get_indicators_systems	7
get_indicators_systems_code	8
get_indicators_systems_code_instances	8
get_indicators_systems_code_instances_code	9
get_indicators_systems_code_instances_code_data	10
get_indicators_time_granularities	11
get_statisticalresources_datasets	11
get_statisticalresources_datasets_agency	12
get_statisticalresources_datasets_agency_resource	12
get_statisticalresources_datasets_agency_resource_version	13

get_statisticalresources_queries	14
get_statisticalresources_queries_agency	15
get_statisticalresources_queries_agency_resource	16
get_structuralresources_categorisations	16
get_structuralresources_categorisations_agency	17
get_structuralresources_categorisations_agency_resource	18
get_structuralresources_categorisations_agency_resource_version	18
get_structuralresources_category_schemes	19
get_structuralresources_category_schemes_agency	20
get_structuralresources_category_schemes_agency_resource	20
get_structuralresources_category_schemes_agency_resource_version	21
get_structuralresources_category_schemes_agency_resource_version_categories	22
get_structuralresources_category_schemes_agency_resource_version_categories_id	23
get_structuralresources_codelists	23
get_structuralresources_codelists_agency	24
get_structuralresources_codelists_agency_resource	25
get_structuralresources_codelists_agency_resource_version	25
get_structuralresources_codelists_agency_resource_version_codes	26
get_structuralresources_codelists_agency_resource_version_codes_codeid	27
get_structuralresources_codelists_agency_resource_version_recode	28
get_structuralresources_codelists_agency_resource_version_restrictions	29
get_structuralresources_codelist_families	29
get_structuralresources_codelist_families_id	30
get_structuralresources_concept_schemes	30
get_structuralresources_concept_schemes_agency	31
get_structuralresources_concept_schemes_agency_resource	32
get_structuralresources_concept_schemes_agency_resource_version	32
get_structuralresources_concept_schemes_agency_resource_version_concepts	33
get_structuralresources_concept_schemes_agency_resource_version_concepts_id	34
get_structuralresources_concept_types	35
get_structuralresources_content_constraints	35
get_structuralresources_content_constraints_agency	36
get_structuralresources_content_constraints_agency_resource	36
get_structuralresources_content_constraints_agency_resource_version	37
get_structuralresources_content_constraints_agency_resource_version_regions	38
get_structuralresources_data_structures	38
get_structuralresources_data_structures_agency	39
get_structuralresources_data_structures_agency_resource	40
get_structuralresources_data_structures_agency_resource_version	40
get_structuralresources_geoinfo	41
get_structuralresources_variableelements	42
get_structuralresources_variableelements_resource	42
get_structuralresources_variables	43
get_structuralresources_variables_id	43
get_structuralresources_variable_families	44
get_structuralresources_variable_families_id	44
get_structuralresources_variable_families_id_variables	45

change_api_url	<i>Change API root URL</i>
----------------	----------------------------

Description

Changes the base URL used by the package to connect to a compatible statistics API. This allows switching between ISTAC, IBESTAT and any other institution implementing the same API.

Usage

```
change_api_url(api_root_url)
```

Arguments

api_root_url Character string with the base URL of the target API.

Value

The configured API root URL.

Examples

```
change_api_url("https://datos.canarias.es/api/estadisticas/")
```

get_indicators	<i>Get indicators</i>
----------------	-----------------------

Description

This function returns a list of indicators published in the ISTAC-indicators database. An indicator is a measure used to know the intensity of a phenomenon in spacetime. This measure can refer to different spatial or temporal granularities.

Usage

```
get_indicators(  
  q = "",  
  order = "",  
  limit = 25,  
  offset = 0,  
  fields = "",  
  representation = ""  
)
```

Arguments

q	(string): Metadata query on which the searches can be built using id, subjectCode or geographicValue.
order	(string): Order. Possible values are: update and id. Order criteria are ASC and DESC.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
fields	(string): Use of the answer by adding new fields. Possible values are: +metadata, +data and +observationsMetadata.
representation	(string): Allows filtering the observations by their value. Its use only makes sense when +data and/or +observationsMetadata has been included.

Examples

```
get_indicators(
q='id IN ("AFILIACIONES", "EMPLEO_REGISTRADO_AGRICULTURA")',
order="id ASC",
fields="+data",
representation="GEOGRAPHICAL[35003|35005], MEASURE[ABSOLUTE]"
)
```

get_indicators_code *Get indicators code*

Description

This function returns the metadata that describe the characteristics of a specific indicator, allowing the compression of the measured fact; also through the data request the complete data (for all spacetime) of the indicator is provided.

Usage

```
get_indicators_code(indicatorcode)
```

Arguments

indicatorcode (string): an indicator code

Examples

```
get_indicators_code("IPI_BASE_2021")
get_indicators_code("IPI")
```

`get_indicators_code_data`*Get indicators code data*

Description

This function returns complete data (for all spacetime) of the indicator. On the other hand, metadata describing the characteristics of a specific indicator are offered through the metadata request, allowing the compression of the measured fact.

Usage

```
get_indicators_code_data(  
    indicatorcode,  
    representation = "",  
    granularity = "",  
    fields = "",  
    as_dataframe = T  
)
```

Arguments

- `indicatorcode` (string): an indicator code
- `representation` (string): Allows filtering the observations by their value.
- `granularity` (string): Allows to filter the observations through the granularities of the same.
- `fields` (string): Allows you to customize the response by excluding fields. The possible values are: `-observationsMetadata`.
- `as_dataframe` (bool): If True, this function returns a namedtuple with:
- `dataframe`: pandas dataframe built from API response.
 - `codelists`: mapping between codes and representations for each column.

Examples

```
get_indicators_code_data("IPC")
```

`get_indicators_geographical_values`*Get geographical values*

Description

This function returns values of a geographical granularity that in turn are part of a specific theme or system of indicators.

Usage

```
get_indicators_geographical_values(  
    geographicalgranularitycode,  
    subjectcode,  
    systemcode = ""  
)
```

Arguments

geographicalgranularitycode	(string): geographical granularity code
subjectcode	(string): subject code
systemcode	(string): system code

Examples

```
get_indicators_geographical_values(  
    "REGIONS",  
    subjectcode="051",  
    systemcode="C00067A"  
)
```

```
get_indicators_geographic_granularities  
    Get geographic granularities
```

Description

This function returns a list of geographic granularities treated in the ISTAC-indicators database. For example provincial, insular or municipal granularity.

Usage

```
get_indicators_geographic_granularities()
```

Examples

```
get_indicators_geographic_granularities()
```

get_indicators_subjects
Get subjects

Description

This function returns all subjects which the ISTAC classifies its statistical operations.

Usage

```
get_indicators_subjects()
```

Examples

```
get_indicators_subjects()
```

get_indicators_systems
Get indicators systems

Description

This function returns a list of indicator systems published in the ISTAC-indicators database. The indicators are simple or compound statistics, however a single indicator can rarely provide useful information about complex phenomena such as the economic situation, living conditions, schooling or others. Indicator systems are generally designed to generate more and more accurate information about the conditions of a phenomenon; and for this they are organized in dimensions or areas of analysis, under which the indicators are integrated.

Usage

```
get_indicators_systems(limit = 25, offset = 0)
```

Arguments

limit (int): Results limit. By default limit = 25.
offset (int): Displacement. Result from which it is returned. By default offset = 0.

Examples

```
get_indicators_systems()
```

get_indicators_systems_code

Get indicators system code

Description

This function returns metadata of a system of indicators published in the ISTAC-indicators database. The indicators are simple or compound statistics, however a single indicator can rarely provide useful information about complex phenomena such as the economic situation, living conditions, schooling or others.

Usage

```
get_indicators_systems_code(indicatorssystemcode)
```

Arguments

indicatorssystemcode
(string): an indicator system code

Examples

```
get_indicators_systems_code("C00075H")
```

get_indicators_systems_code_instances

Get indicators system code instances

Description

This function returns instances of indicators associated with a specific indicator system. An instance of an indicator is nothing more than a spatio-temporal query of an indicator when it is incorporated into a specific indicator system.

Usage

```
get_indicators_systems_code_instances(  
  indicatorssystemcode,  
  q = "",  
  order = "",  
  limit = 25,  
  offset = 0,  
  fields = "",  
  representation = "",  
  granularity = ""  
)
```

Arguments

indicatorsystemcode	(string): with an indicator system code
q	(string): Query of metadata on which the searches can be built are: id and geographicalValue.
order	(string): Order. Possible values are: update and id and order criteria are ASC and DESC.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
fields	(string): Use of the answer by adding new fields. Possible values are: +metadata, +data and +observationsMetadata.
representation	(string): Allows filtering the observations by their value. Its use only makes sense when +data and/or +observationsMetadata has been included.
granularity	(string): Allows to filter the observations through the granularities of the same. Its use only makes sense when +data and/or +observationsMetadata has been included.

Examples

```
get_indicators_systems_code_instances("C00075H")
get_indicators_systems_code_instances(
  "C00075H",
  q='id EQ "INDICADORES_MUNICIPALES"'
)
```

```
get_indicators_systems_code_instances_code
```

Get indicators system code instances code

Description

This function returns metadata of an indicator set associated with a specific indicator system. An instance of an indicator is nothing more than a spatio-temporal query of an indicator when it is incorporated into a specific indicator system.

Usage

```
get_indicators_systems_code_instances_code(
  indicatorsystemcode,
  indicatorinstancecode
)
```

Arguments

indicatorsystemcode	(string) indicator system code
indicatorinstancecode	(string) indicator instance code

Examples

```
get_indicators_systems_code_instances_code(  
  "C00075H",  
  "21af0477-d63b-493b-ad02-4ab181547223"  
)
```

get_indicators_systems_code_instances_code_data
Get indicators system code instances code data

Description

This function returns metadata of an indicator set associated with a specific indicator system. An instance of an indicator is nothing more than a spatio-temporal query of an indicator when it is incorporated into a specific indicator system.

Usage

```
get_indicators_systems_code_instances_code_data(  
  indicatorsystemcode,  
  indicatorinstancecode,  
  representation = "",  
  granularity = "",  
  fields = ""  
)
```

Arguments

`indicatorsystemcode`
(string): Indicator system code

`indicatorinstancecode`
(string): Indicator instance code

`representation` (string): Allows filtering the observations by their value.

`granularity` (string): Allows to filter the observations through the granularities of the same.

`fields` (string): Allows you to customize the response by excluding fields. The possible values are: `-observationsMetadata`.

Examples

```
get_indicators_systems_code_instances_code_data(  
  "C00075H",  
  "21af0477-d63b-493b-ad02-4ab181547223"  
)
```

```
get_indicators_time_granularities
    Get time granularities
```

Description

This function returns a list of temporary granularity treated in the ISTAC data bank-indicators ordered from highest to lowest granularity. For example annual, quarterly or monthly granularity.

Usage

```
get_indicators_time_granularities()
```

Examples

```
get_indicators_time_granularities()
```

```
get_statisticalresources_datasets
    Get datasets
```

Description

This function allows consulting all existing statistical data cubes.

Usage

```
get_statisticalresources_datasets(  
    lang = "es",  
    limit = 25,  
    offset = 0,  
    orderby = "",  
    query = ""  
)
```

Arguments

lang	(string): Language in which you want to get the answer.
limit	(int): Results limit. By default limit=25.
offset	(int): Displacement. Result from which it is returned. By default offset=0.
orderby	(string): Order. Possible values are ID ASC or ID DESC.
query	(string): Metadata query on which the searches can be built.

Examples

```
get_statisticalresources_datasets(limit=5)
```

```
get_statisticalresources_datasets_agency
    Get datasets (agencyID)
```

Description

This function allows to consult all the data sets maintained by a certain organization.

Usage

```
get_statisticalresources_datasets_agency(
    agencyid,
    lang = "es",
    limit = 25,
    offset = 0,
    orderby = "",
    query = ""
)
```

Arguments

agencyid	(string): Identifier of the maintainer organization of the resource. A possible value is ISTAC.
lang	(string): Language in which you want to get the answer.
limit	(int): Results limit. By default limit=25.
offset	(int): Displacement. Result from which it is returned. By default offset=0.
orderby	(string): Order. Possible values are ID ASC or ID DESC.
query	(string): Metadata query on which the searches can be built.

Examples

```
get_statisticalresources_datasets_agency(agencyid="ISTAC")
```

```
get_statisticalresources_datasets_agency_resource
    Get datasets (agencyID / resourceID)
```

Description

This function allows to obtain all the versions of a statistical cube with a certain identifier and that also maintains a certain organization.

Usage

```
get_statisticalresources_datasets_agency_resource(
    agencyid,
    resourceid,
    lang = "es",
    limit = 25,
    offset = 0,
    orderby = "",
    query = ""
)
```

Arguments

agencyid	(string): Identifier of the maintainer organization of the resource. A possible value is ISTAC.
resourceid	(string): Resource identifier. A possible value is C00010A_000002.
lang	(string): Language in which you want to get the answer.
limit	(int): Results limit. By default limit=25.
offset	(int): Displacement. Result from which it is returned. By default offset=0.
orderby	(string): Order. Possible values are ID ASC or ID DESC.
query	(string): Metadata query on which the searches can be built.

Examples

```
get_statisticalresources_datasets_agency_resource(
    agencyid="ISTAC",
    resourceid="C00010A_000002"
)
```

get_statisticalresources_datasets_agency_resource_version
Get datasets (agencyID / resourceID / version)

Description

This function allows to obtain a certain version of a statistical cube with a certain identifier and that also maintains a certain organization.

Usage

```
get_statisticalresources_datasets_agency_resource_version(
    agencyid,
    resourceid,
    version,
    dim = "",
    representation = "",
    granularity = "",
    fields = "",
    lang = "es",
    as_dataframe = T
)
```

Arguments

agencyid	(string): Identifier of the maintainer organization of the resource. A possible value is ISTAC.
resourceid	(string): Resource identifier. A possible value is C00010A_000002.
version	(string): Resource version. A possible value is 001.000.
dim	(string): Allows filtering the data obtained in the response. An example is TIME_PERIOD:2009 2010.
representation	(string): Specifies the representation format of the returned data. Leave empty to use the API default.
granularity	(string): Specifies the desired level of aggregation or granularity for the returned data. Leave empty to use the API default.
fields	(string): Allows you to customize the response by excluding fields from it. The possible values are -metadata and -data.
lang	(string): Language in which you want to get the answer.
as_dataframe	(bool): If TRUE, this function returns a list with: <ul style="list-style-type: none"> • dataframe: data.frame built from the API response. • codelists: mapping between codes and representations for each column.

Examples

```
get_statisticalresources_datasets_agency_resource_version(
  agencyid = "ISTAC",
  resourceid = "E68025A_000007",
  version = "~latest",
  representation = "TIME_PERIOD[~last=1]:MEDIDAS[CASO_ACTIV0]:TERRITORIO[ES70]")$dataframe
```

```
get_statisticalresources_queries
  Get queries
```

Description

This function allows consulting all existing statistical queries.

Usage

```
get_statisticalresources_queries(
  lang = "es",
  limit = 25,
  offset = 0,
  orderby = "",
  query = ""
)
```

Arguments

lang	(string): Language in which you want to get the answer.
limit	(int): Results limit. By default limit=25.
offset	(int): Displacement. Result from which it is returned. By default offset=0.
orderby	(string): Order. Possible values are ID ASC or ID DESC,
query	(string): Metadata query on which the searches can be built.

Examples

```
get_statisticalresources_queries(limit=5)
```

```
get_statisticalresources_queries_agency
    Get queries (agencyID)
```

Description

This function allows to consult all the queries maintained by a certain organization.

Usage

```
get_statisticalresources_queries_agency(
    agencyid,
    lang = "es",
    limit = 25,
    offset = 0,
    orderby = "",
    query = ""
)
```

Arguments

agencyid	(string): Identifier of the maintainer organization of the resource. A possible value is ISTAC.
lang	(string): Language in which you want to get the answer.
limit	(int): Results limit. By default limit=25.
offset	(int): Displacement. Result from which it is returned. By default offset=0.
orderby	(string): Order. Possible values are ID ASC or ID DESC,
query	(string): Metadata query on which the searches can be built.

Examples

```
get_statisticalresources_queries_agency(agencyid="ISTAC", limit=5)
```

```
get_statisticalresources_queries_agency_resource
    Get queries (agencyID / resourceID)
```

Description

This function allows to obtain final data of a statistical query with a certain identifier and that also maintains a certain organization.

Usage

```
get_statisticalresources_queries_agency_resource(
    agencyid,
    resourceid,
    fields = "",
    lang = "es",
    as_dataframe = T
)
```

Arguments

agencyid	(string): Identifier of the maintainer organization of the resource. A possible value is ISTAC.
resourceid	(string): Resource identifier. A possible value is C00005A_000004.
fields	(string): Allows you to customize the response by excluding fields from it. <ul style="list-style-type: none"> The possible values are -metadata and -data.
lang	(string): Language in which you want to get the answer.
as_dataframe	(bool): If True, this function returns a namedtuple with: <ul style="list-style-type: none"> dataframe: pandas dataframe built from API response. codelists: mapping between codes and representations for each column.

Examples

```
get_statisticalresources_queries_agency_resource(
    agencyid="ISTAC",
    resourceid="C00005A_000004"
)
```

```
get_structuralresources_categorisations
    Get categorisations
```

Description

This function returns the content from /v1.0/categorisations

Usage

```
get_structuralresources_categorisations(
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset=0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_categorisations()
get_structuralresources_categorisations(
    query="ID EQ 2090",
    orderby="ID ASC"
)
```

```
get_structuralresources_categorisations_agency
    Get categorisations agency
```

Description

This function returns the content from /v1.0/categorisations/{agencyID}

Usage

```
get_structuralresources_categorisations_agency(
    agencyid,
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset=0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_categorisations_agency("ISTAC")
```

get_structuralresources_categorisations_agency_resource
Get categorisations agency resource

Description

This function returns the content from `/v1.0/categorisations/{agencyID}/{resourceID}`

Usage

```
get_structuralresources_categorisations_agency_resource(  
    agencyid,  
    resourceid,  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

<code>agencyid</code>	(string): Identifier of the agency that publishes.
<code>resourceid</code>	(string): Resource identifier.
<code>limit</code>	(int): Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int): Displacement. Result from which it is returned. By default <code>offset=0</code> .
<code>query</code>	(string): Query to filter the results.
<code>orderby</code>	(string): Field by which to sort the results.

Examples

```
get_structuralresources_categorisations_agency_resource("ISTAC", "cat2")
```

get_structuralresources_categorisations_agency_resource_version
Get categorisations agency resource version

Description

This function returns the content from `/v1.0/categorisations/{agencyID}/{resourceID}/{version}`

Usage

```
get_structuralresources_categorisations_agency_resource_version(  
    agencyid,  
    resourceid,  
    version  
)
```

Arguments

agencyid (string): Identifier of the agency that publishes.
 resourceid (string): Resource identifier.
 version (string): Specific version of the resource.

Examples

```
get_structuralresources_categorisations_agency_resource_version(
  "ISTAC",
  "cat2",
  "01.000"
)
```

get_structuralresources_category_schemes
Get category schemes

Description

This function returns the content from /v1.0/categoryschemes

Usage

```
get_structuralresources_category_schemes(
  limit = 25,
  offset = 0,
  query = "",
  orderby = ""
)
```

Arguments

limit (int): Results limit. By default limit = 25.
 offset (int): Displacement. Result from which it is returned. By default offset = 0.
 query (string): Query to filter the results.
 orderby (string): Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes()
get_structuralresources_category_schemes(
  query="ID EQ 2090",
  orderby="ID ASC"
)
```

```
get_structuralresources_category_schemes_agency
    Get category schemes agency
```

Description

This function returns the content from `/v1.0/categoryschemes/{agencyID}`

Usage

```
get_structuralresources_category_schemes_agency(  
    agencyid,  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

<code>agencyid</code>	(string): Identifier of the agency that publishes.
<code>limit</code>	(int): Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int): Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string): Query to filter the results.
<code>orderby</code>	(string): Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes_agency(  
    "ISTAC",  
    query="ID EQ 2090",  
    orderby="ID ASC"  
)
```

```
get_structuralresources_category_schemes_agency_resource
    Get category schemes agency resource
```

Description

This function returns the content from `/v1.0/categoryschemes/{agencyID}/{resourceID}`

Usage

```
get_structuralresources_category_schemes_agency_resource(
    agencyid,
    resourceid,
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
resourceid	(string): Resource identifier.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes_agency_resource(
    "ISTAC",
    "TEMAS_CANARIAS"
)
```

```
get_structuralresources_category_schemes_agency_resource_version
    Get category schemes agency resource version
```

Description

This function returns the content from `/v1.0/categorieschemes/{agencyID}/{resourceID}/{version}`

Usage

```
get_structuralresources_category_schemes_agency_resource_version(
    agencyid,
    resourceid,
    version
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
resourceid	(string): Resource identifier.
version	(string): Specific version of the resource.

Examples

```
get_structuralresources_category_schemes_agency_resource_version(
  "ISTAC",
  "TEMAS_CANARIAS",
  "01.000"
)
```

```
get_structuralresources_category_schemes_agency_resource_version_categories
  Get category schemes agency resource version categories
```

Description

This function returns the content from `/v1.0/categorieschemes/{agencyID}/{resourceID}/{version}/categories`

Usage

```
get_structuralresources_category_schemes_agency_resource_version_categories(
  agencyid,
  resourceid,
  version,
  limit = 25,
  offset = 0,
  query = "",
  orderby = ""
)
```

Arguments

<code>agencyid</code>	(string): Identifier of the agency that publishes.
<code>resourceid</code>	(string): Resource identifier.
<code>version</code>	(string): Specific version of the resource.
<code>limit</code>	(int): Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int): Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string): Query to filter the results.
<code>orderby</code>	(string): Field by which to sort the results.

Examples

```
get_structuralresources_category_schemes_agency_resource_version_categories(
  "ISTAC",
  "TEMAS_CANARIAS",
  "01.000"
)
```

get_structuralresources_category_schemes_agency_resource_version_categories_id
Get category schemes agency resource version categories (id)

Description

This function returns the content from /v1.0/categorieschemes/{agencyID}/{resourceID}/{version}/categories

Usage

```
get_structuralresources_category_schemes_agency_resource_version_categories_id(  
    agencyid,  
    resourceid,  
    version,  
    categoryid  
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
resourceid	(string): Resource identifier.
version	(string): Specific version of the resource.
categoryid	(string): category identifier.

Examples

```
get_structuralresources_category_schemes_agency_resource_version_categories_id(  
    "ISTAC",  
    "TEMAS_CANARIAS",  
    "01.000",  
    "060"  
)  
get_structuralresources_category_schemes_agency_resource_version_categories_id(  
    "ISTAC",  
    "TEMAS_CANARIAS",  
    "01.000",  
    "060.060_010.060_010_010"  
)
```

get_structuralresources_codelists
Get codelists

Description

This function allows to obtain the list of classifications.

Usage

```
get_structuralresources_codelists(
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_codelists()
```

```
get_structuralresources_codelists_agency
    Get codelists agency
```

Description

This function allows obtaining the list of all the classifications maintained by a certain organization.

Usage

```
get_structuralresources_codelists_agency(
    agencyid,
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

agencyid	(string): Agency identifier.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_codelists_agency("ISTAC")
get_structuralresources_codelists_agency("ESTAT")
```

get_structuralresources_codelists_agency_resource
Get codelists agency resource

Description

This function allows to obtain all the versions of a classification with a certain identifier and that is also kept by a certain organization.

Usage

```
get_structuralresources_codelists_agency_resource(  
    agencyid,  
    resourceid,  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

agencyid	(string): Agency identificator.
resourceid	(string): Resource identificator.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_codelists_agency_resource("ISTAC", "CL_AREA_ES")
```

get_structuralresources_codelists_agency_resource_version
Get codelists agency resource version

Description

This function allows you to consult a particular version of a classification.

Usage

```
get_structuralresources_codelists_agency_resource_version(  
    agencyid,  
    resourceid,  
    version  
)
```

Arguments

agencyid (string): Agency identificator.
 resourceid (string): Resource identificator.
 version (string): Specific resource version.

Examples

```
get_structuralresources_codelists_agency_resource_version(
  "ISTAC",
  "CL_AREA_ES",
  "01.000"
)
```

```
get_structuralresources_codelists_agency_resource_version_codes
```

Get codelists agency resource version codes

Description

This function allows to consult the codes of a version of a classification. Note that if wildcards are used as ~all or one of the limit, offset, query or orderBy parameters, the list will be automatically paginated.

Usage

```
get_structuralresources_codelists_agency_resource_version_codes(
  agencyid,
  resourceid,
  version,
  limit = 1000,
  offset = 0,
  query = "",
  orderby = "",
  openness = "",
  order = "",
  fields = "",
  lang = "es",
  as_dataframe = T
)
```

Arguments

agencyid (string): Agency identificator.
 resourceid (string): Resource identificator.
 version (string): Specific resource version.
 limit (int): Results limit. By default limit = 25.
 offset (int): Displacement. Result from which it is returned. By default offset = 0.
 query (string): Query to filter the results. orderby (string): Field by which to sort the results.

<code>orderby</code>	(string): Order established for data.
<code>openness</code>	(string): Opening established for viewing.
<code>order</code>	(string): Order established for visualization.
<code>fields</code>	(string): Additional fields that you want to show in the answer.
<code>lang</code>	(string): Language in which you want to get the answer.
<code>as_dataframe</code>	(bool): If True, this function returns a pandas dataframe built from API response.

Examples

```
get_structuralresources_codelists_agency_resource_version_codes(  
    "ISTAC",  
    "CL_AREA_ES",  
    "01.000"  
)
```

`get_structuralresources_codelists_agency_resource_version_codes_codeid`
Get codelists agency resource version codes (codeID)

Description

This function allows to consult a specific code of a version of a classification.

Usage

```
get_structuralresources_codelists_agency_resource_version_codes_codeid(  
    agencyid,  
    resourceid,  
    version,  
    codeid  
)
```

Arguments

<code>agencyid</code>	(string): Agency identifier.
<code>resourceid</code>	(string): Resource identifier.
<code>version</code>	(string): Specific resource version.
<code>codeid</code>	(string): Code identifier.

Examples

```
get_structuralresources_codelists_agency_resource_version_codes_codeid(  
    "ISTAC", "CL_AREA_ES", "01.000", "ES706A01")
```

get_structuralresources_codelists_agency_resource_version_recode
Get codelists agency resource version recode

Description

This function allows to see changes between two classifications.

Usage

```
get_structuralresources_codelists_agency_resource_version_recode(  
    agencyid,  
    resourceid,  
    version,  
    referenceagencyid,  
    referenceresourceid,  
    referenceversion  
)
```

Arguments

agencyid (string): Agency identifier.
resourceid (string): Resource identifier.
version (string): Specific resource version.
referenceagencyid (string): Reference agency identifier.
referenceresourceid (string): Reference resource identifier.
referenceversion (string): Reference specific resource version.

Examples

```
get_structuralresources_codelists_agency_resource_version_recode(  
    "ISTAC",  
    "CL_AREA_ES",  
    "01.001",  
    "ISTAC",  
    "CL_AREA_ES_RELATIVA",  
    "~latest"  
)
```

```
get_structuralresources_codelists_agency_resource_version_restrictions
```

Get codelists agency resource version restrictions

Description

This function allows you to consult any restrictions for a specific code of a version of a classification.

Usage

```
get_structuralresources_codelists_agency_resource_version_restrictions(  
    agencyid,  
    resourceid,  
    version  
)
```

Arguments

agencyid	(string): Agency identifier.
resourceid	(string): Resource identifier.
version	(string): Specific resource version.

Examples

```
get_structuralresources_codelists_agency_resource_version_restrictions(  
    "ISTAC",  
    "CL_AREA_ES",  
    "~latest"  
)
```

```
get_structuralresources_codelist_families
```

Get codelist families

Description

This function returns the list of families of classifications

Usage

```
get_structuralresources_codelist_families(  
    limit = 25,  
    offset = 0,  
    orderby = "",  
    query = ""  
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
orderby	(string): Field by which to sort the results.
query	(string): Query to filter the results.

Examples

```
get_structuralresources_codelist_families()
```

```
get_structuralresources_codelist_families_id
    Get codelist families
```

Description

This function allows to obtain a family of classifications in particular.

Usage

```
get_structuralresources_codelist_families_id(id)
```

Arguments

id	(string): codelist family identificator
----	---

Examples

```
get_structuralresources_codelist_families_id('CODELIST_ID')
```

```
get_structuralresources_concept_schemes
    Get concept schemes
```

Description

This function returns the content from /v1.0/concept_schemes

Usage

```
get_structuralresources_concept_schemes(
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_concept_schemes()  
get_structuralresources_concept_schemes(  
  query="ID EQ 2090",  
  orderby="ID ASC"  
)
```

```
get_structuralresources_concept_schemes_agency  
  Get concept schemes agency
```

Description

This function returns the content from /v1.0/concept_schemes/{agencyID}

Usage

```
get_structuralresources_concept_schemes_agency(  
  agencyid,  
  limit = 25,  
  offset = 0,  
  query = "",  
  orderby = ""  
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_concept_schemes_agency("ISTAC")  
get_structuralresources_concept_schemes_agency(  
  "ESTAT",  
  query="ID EQ 2090",  
  orderby="ID ASC"  
)
```

```
get_structuralresources_concept_schemes_agency_resource
    Get concept schemes agency resource
```

Description

This function returns the content from `/v1.0/concept_schemes/{agencyID}/{resourceID}`

Usage

```
get_structuralresources_concept_schemes_agency_resource(
    agencyid,
    resourceid,
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

<code>agencyid</code>	(string): Identifier of the agency that publishes.
<code>resourceid</code>	(string): Resource identifier.
<code>limit</code>	(int): Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int): Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string): Query to filter the results.
<code>orderby</code>	(string): Field by which to sort the results.

Examples

```
get_structuralresources_concept_schemes_agency_resource(
    agencyid="ISTAC",
    resourceid="CSM_C00010A_SIE"
)
```

```
get_structuralresources_concept_schemes_agency_resource_version
    Get concept schemes agency resource version
```

Description

This function returns the content from `/v1.0/concept_schemes/{agencyID}/{resourceID}/{version}`

Usage

```
get_structuralresources_concept_schemes_agency_resource_version(
    agencyid,
    resourceid,
    version
)
```

Arguments

agencyid	(string) Identifier of the agency that publishes.
resourceid	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_concept_schemes_agency_resource_version(  
  agencyid="ISTAC",  
  resourceid="CSM_C00010A_SIE",  
  version="01.000"  
)
```

get_structuralresources_concept_schemes_agency_resource_version_concepts
Get concept schemes agency resource version concepts

Description

This function returns the content from /v1.0/concept_schemes/{agencyID}/{resourceID}/{version}/concepts

Usage

```
get_structuralresources_concept_schemes_agency_resource_version_concepts(  
  agencyid,  
  resourceid,  
  version,  
  limit = 25,  
  offset = 0,  
  query = "",  
  orderby = "",  
  fields = ""  
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
resourceid	(string): Resource identifier.
version	(string): Specific version of the resource.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.
fields	(string): Additional fields that you want to show in the answer.

Examples

```
get_structuralresources_concept_schemes_agency_resource_version_concepts(  
  agencyid="ISTAC",  
  resourceid="CSM_C00010A_SIE",  
  version="01.000"  
)
```

get_structuralresources_concept_schemes_agency_resource_version_concepts_id
Get concept schemes agency resource version concepts (id)

Description

This function returns the content from `/v1.0/concept_schemes/{agencyID}/{resourceID}/{version}/concepts/{conceptID}`.

Usage

```
get_structuralresources_concept_schemes_agency_resource_version_concepts_id(  
  agencyid,  
  resourceid,  
  version,  
  conceptid  
)
```

Arguments

<code>agencyid</code>	(string): Identifier of the agency that publishes.
<code>resourceid</code>	(string): Resource identifier.
<code>version</code>	(string): Specific version of the resource.
<code>conceptid</code>	(string): Concept identifier.

Examples

```
get_structuralresources_concept_schemes_agency_resource_version_concepts_id(  
  agencyid="ISTAC",  
  resourceid="CSM_C00010A_SIE",  
  version="01.000",  
  conceptid="ELECTORES"  
)
```

```
get_structuralresources_concept_types
    Get concept types
```

Description

This function returns the content from /v1.0/conceptTypes

Usage

```
get_structuralresources_concept_types()
```

Examples

```
get_structuralresources_concept_types()
```

```
get_structuralresources_content_constraints
    Get content constraints
```

Description

This function returns the content from /v1.0/contentConstraints

Usage

```
get_structuralresources_content_constraints(
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_content_constraints()
get_structuralresources_content_constraints(
    query="ID EQ 2090",
    orderby="ID ASC"
)
```

get_structuralresources_content_constraints_agency
Get content constraints agency

Description

This function returns the content from /v1.0/contentConstraints/{agencyID}

Usage

```
get_structuralresources_content_constraints_agency(  
    agencyid,  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_content_constraints_agency("ISTAC")
```

get_structuralresources_content_constraints_agency_resource
Get content constraints agency resource

Description

This function returns the content from /v1.0/contentConstraints/{agencyID}/{resourceID}

Usage

```
get_structuralresources_content_constraints_agency_resource(  
    agencyid,  
    resourceid,  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
resourceid	(string): Resource identifier.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_content_constraints_agency_resource(
  "ISTAC",
  "CSM_C00010A_SIE"
)
```

```
get_structuralresources_content_constraints_agency_resource_version
  Get content constraints agency resource version
```

Description

This function returns the content from /v1.0/contentConstraints/{agencyID}/{resourceID}/{version}

Usage

```
get_structuralresources_content_constraints_agency_resource_version(
  agencyid,
  resourceid,
  version
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
resourceid	(string): Resource identifier.
version	(string): Specific version of the resource.

Examples

```
get_structuralresources_content_constraints_agency_resource_version(
  "ISTAC",
  "CSM_C00010A_SIE",
  "01.000"
)
```

```
get_structuralresources_content_constraints_agency_resource_version_regions
    Get content constraints agency resource version regions
```

Description

This function returns the content from `/v1.0/contentConstraints/{agencyID}/{resourceID}/{version}/regions`

Usage

```
get_structuralresources_content_constraints_agency_resource_version_regions(
    regioncode,
    agencyid,
    resourceid,
    version
)
```

Arguments

regioncode	(string) Region code.
agencyid	(string) Identifier of the agency that publishes.
resourceid	(string) Resource identifier.
version	(string) Specific version of the resource.

Examples

```
get_structuralresources_content_constraints_agency_resource_version_regions(
    "0001",
    "ISTAC",
    "CSM_C00010A_SIE",
    "01.000"
)
```

```
get_structuralresources_data_structures
    Get data structures
```

Description

This function returns the content from `/v1.0/datastructures`

Usage

```
get_structuralresources_data_structures(
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_data_structures()  
get_structuralresources_data_structures(  
  query="ID EQ 2090",  
  orderby="ID ASC"  
)
```

```
get_structuralresources_data_structures_agency  
  Get data structures agency
```

Description

This function returns the content from /v1.0/datastructures/{agencyID}

Usage

```
get_structuralresources_data_structures_agency(  
  agencyid,  
  limit = 25,  
  offset = 0,  
  query = "",  
  orderby = ""  
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_data_structures_agency("ISTAC")
```

get_structuralresources_data_structures_agency_resource
Get data structures agency resource

Description

This function returns the content from `/v1.0/datastructures/{agencyID}/{resourceID}`

Usage

```
get_structuralresources_data_structures_agency_resource(  
    agencyid,  
    resourceid,  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

<code>agencyid</code>	(string): Identifier of the agency that publishes.
<code>resourceid</code>	(string): Resource identifier.
<code>limit</code>	(int): Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int): Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string): Query to filter the results.
<code>orderby</code>	(string): Field by which to sort the results.

Examples

```
get_structuralresources_data_structures_agency_resource(  
    "ISTAC",  
    "DSD_C00010A_00001"  
)
```

get_structuralresources_data_structures_agency_resource_version
Get data structures agency resource version

Description

This function returns the content from `/v1.0/datastructures/{agencyID}/{resourceID}/{version}`

Usage

```
get_structuralresources_data_structures_agency_resource_version(  
    agencyid,  
    resourceid,  
    version  
)
```

Arguments

agencyid	(string): Identifier of the agency that publishes.
resourceid	(string): Resource identifier.
version	(string): Specific version of the resource.

Examples

```
get_structuralresources_data_structures_agency_resource_version(
  "ISTAC",
  "DSD_C00010A_00001",
  "01.001"
)
```

```
get_structuralresources_geoinfo
  Get geoinfo
```

Description

This function returns data from `/v1.0/variables/{variableID}/variableelements/{resourceID}/geoinfo`

Usage

```
get_structuralresources_geoinfo(
  variableid,
  resourceid,
  fields = "",
  limit = 25,
  offset = 0,
  query = "",
  orderby = ""
)
```

Arguments

variableid	(string): Variable identifier.
resourceid	(string): Resource identifier.
fields	(string): Additional fields that you want to show in the answer.
limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_geoinfo("VR_TERRITORIO", "MUN_ICOD_VINOS")
```

```
get_structuralresources_variableelements
    Get variableelements
```

Description

This function returns data from `/v1.0/variables/{variableID}/variableelements`

Usage

```
get_structuralresources_variableelements(
    variableid,
    limit = 25,
    offset = 0,
    query = "",
    orderby = ""
)
```

Arguments

variableid	(string) Variable identifier.
limit	(int) Results limit. By default limit = 25.
offset	(int) Displacement. Result from which it is returned. By default offset = 0.
query	(string) Query to filter the results.
orderby	(string) Field by which to sort the results.

Examples

```
get_structuralresources_variableelements("VR_SEX0")
```

```
get_structuralresources_variableelements_resource
    Get variableelements resource
```

Description

This function returns data from `/v1.0/variables/{variableID}/variableelements/{resourceID}`

Usage

```
get_structuralresources_variableelements_resource(variableid, resourceid)
```

Arguments

variableid	(string): Resource identifier.
resourceid	(string): Variable identifier.

Examples

```
get_structuralresources_variableelements_resource("VR_SEX0", "FEMALE")
```

get_structuralresources_variables
Get variables

Description

This function returns data from /v1.0/variables

Usage

```
get_structuralresources_variables(  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_variables()
```

get_structuralresources_variables_id
Get variables (id)

Description

This function returns data from /v1.0/variables/{id}

Usage

```
get_structuralresources_variables_id(id)
```

Arguments

id	(string): Variable identifier.
----	--------------------------------

Examples

```
get_structuralresources_variables_id("VR_SEX0")
```

get_structuralresources_variable_families
Get variable families

Description

This function returns data from /v1.0/variablefamilies

Usage

```
get_structuralresources_variable_families(  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

limit	(int): Results limit. By default limit = 25.
offset	(int): Displacement. Result from which it is returned. By default offset = 0.
query	(string): Query to filter the results.
orderby	(string): Field by which to sort the results.

Examples

```
get_structuralresources_variable_families()
```

get_structuralresources_variable_families_id
Get variable families (id)

Description

This function returns data from /v1.0/variablefamilies/{id}

Usage

```
get_structuralresources_variable_families_id(id)
```

Arguments

id	(string): Variable family identifier.
----	---------------------------------------

Examples

```
get_structuralresources_variable_families_id("VRF_DEMOGRAFICAS")
```

`get_structuralresources_variable_families_id_variables`
Get variable families (id) variables

Description

This function returns data from `/v1.0/variablefamilies/{id}/variables`

Usage

```
get_structuralresources_variable_families_id_variables(  
    id,  
    limit = 25,  
    offset = 0,  
    query = "",  
    orderby = ""  
)
```

Arguments

<code>id</code>	(string): Variable family identifier.
<code>limit</code>	(int): Results limit. By default <code>limit = 25</code> .
<code>offset</code>	(int): Displacement. Result from which it is returned. By default <code>offset = 0</code> .
<code>query</code>	(string): Query to filter the results.
<code>orderby</code>	(string): Field by which to sort the results.

Examples

```
get_structuralresources_variable_families_id_variables("VRF_DEMOGRAFICAS")
```

Index

change_api_url, [3](#)

get_indicators, [3](#)

get_indicators_code, [4](#)

get_indicators_code_data, [5](#)

get_indicators_geographic_granularities, [6](#)

get_indicators_geographical_values, [5](#)

get_indicators_subjects, [7](#)

get_indicators_systems, [7](#)

get_indicators_systems_code, [8](#)

get_indicators_systems_code_instances, [8](#)

get_indicators_systems_code_instances_code, [9](#)

get_indicators_systems_code_instances_code_data, [10](#)

get_indicators_time_granularities, [11](#)

get_statisticalresources_datasets, [11](#)

get_statisticalresources_datasets_agency, [12](#)

get_statisticalresources_datasets_agency_resource, [12](#)

get_statisticalresources_datasets_agency_resource_version, [13](#)

get_statisticalresources_queries, [14](#)

get_statisticalresources_queries_agency, [15](#)

get_statisticalresources_queries_agency_resource, [16](#)

get_structuralresources_categorisations, [16](#)

get_structuralresources_categorisations_agency, [17](#)

get_structuralresources_categorisations_agency_resource, [18](#)

get_structuralresources_categorisations_agency_resource_version, [18](#)

get_structuralresources_category_schemes, [19](#)

get_structuralresources_category_schemes_agency, [20](#)

get_structuralresources_category_schemes_agency_resource, [20](#)

get_structuralresources_category_schemes_agency_resource_version, [21](#)

get_structuralresources_category_schemes_agency_resource_version_2, [22](#)

get_structuralresources_category_schemes_agency_resource_version_3, [23](#)

get_structuralresources_codelist_families, [29](#)

get_structuralresources_codelist_families_id, [30](#)

get_structuralresources_codelists, [23](#)

get_structuralresources_codelists_agency, [24](#)

get_structuralresources_codelists_agency_resource, [25](#)

get_structuralresources_codelists_agency_resource_version_1, [25](#)

get_structuralresources_codelists_agency_resource_version_2, [26](#)

get_structuralresources_codelists_agency_resource_version_3, [27](#)

get_structuralresources_codelists_agency_resource_version_4, [28](#)

get_structuralresources_codelists_agency_resource_version_5, [29](#)

get_structuralresources_concept_schemes, [30](#)

get_structuralresources_concept_schemes_agency, [31](#)

get_structuralresources_concept_schemes_agency_resource, [32](#)

get_structuralresources_concept_schemes_agency_resource_version_1, [32](#)

get_structuralresources_concept_schemes_agency_resource_version_2, [33](#)

get_structuralresources_concept_schemes_agency_resource_version_3, [34](#)

get_structuralresources_concept_types, [35](#)

get_structuralresources_content_constraints, [35](#)

get_structuralresources_content_constraints_agency, [36](#)

get_structuralresources_content_constraints_agency_resource,
36

get_structuralresources_content_constraints_agency_resource_version,
37

get_structuralresources_content_constraints_agency_resource_version_regions,
38

get_structuralresources_data_structures,
38

get_structuralresources_data_structures_agency,
39

get_structuralresources_data_structures_agency_resource,
40

get_structuralresources_data_structures_agency_resource_version,
40

get_structuralresources_geoinfo, 41

get_structuralresources_variable_families,
44

get_structuralresources_variable_families_id,
44

get_structuralresources_variable_families_id_variables,
45

get_structuralresources_variableelements,
42

get_structuralresources_variableelements_resource,
42

get_structuralresources_variables, 43

get_structuralresources_variables_id,
43