

# Package ‘poputils’

June 12, 2024

**Type** Package

**Title** Demographic Analysis and Data Manipulation

**Version** 0.3.1

**Description** Perform tasks commonly encountered when preparing and analysing demographic data. Some functions are intended for end users, and others for developers. Includes functions for working with life tables.

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.1

**Depends** R (>= 4.3.0)

**LinkingTo** cpp11

**Imports** cli, rlang, rvec, tibble, tidyselect, utils, vctrs

**Suggests** bookdown, covr, dplyr, ggplot2, knitr, rmarkdown, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**VignetteBuilder** knitr

**URL** <https://bayesiandemography.github.io/poputils/>,  
<https://github.com/bayesiandemography/poputils>

**BugReports** <https://github.com/bayesiandemography/poputils/issues>

**NeedsCompilation** yes

**Author** John Bryant [aut, cre],  
Bayesian Demography Limited [cph]

**Maintainer** John Bryant <[john@bayesiandemography.com](mailto:john@bayesiandemography.com)>

**Repository** CRAN

**Date/Publication** 2024-06-12 21:00:09 UTC

## Contents

age_group_type . . . . .	2
age_labels . . . . .	3
age_lower . . . . .	4
check_age . . . . .	5
check_equal_length . . . . .	7
check_no_overlap_colnums . . . . .	7
combine_age . . . . .	8
ex_to_lifetab_brass . . . . .	9
find_label_female . . . . .	11
find_label_male . . . . .	12
find_var_age . . . . .	13
find_var_sexgender . . . . .	13
find_var_time . . . . .	14
groups_colnums . . . . .	15
lifetab . . . . .	15
logit . . . . .	20
matrix_to_list_of_cols . . . . .	21
nzmort . . . . .	22
nzmort_rvec . . . . .	22
reformat_age . . . . .	23
reformat_sex . . . . .	24
set_age_open . . . . .	25
to_matrix . . . . .	26
west_lifetab . . . . .	27
<b>Index</b>	<b>28</b>

---

age_group_type	<i>Infer Age Label Type</i>
----------------	-----------------------------

---

### Description

Determine whether a set of age labels refer to one-year, five-year, or life-table age groups.

### Usage

```
age_group_type(x)
```

### Arguments

x	A vector of age labels
---	------------------------

## Details

The valid types of age labels are:

- "single". One-year age groups, eg "0" or "55", and possibly an open age group, eg "90+".
- "five". Five-year age groups, eg "0-4" or "55-59", and possibly an open age group, eg "100+".
- "lt". Life table age groups, eg "0", "1-4", "5-9", "55-59", or "80+".

If `x` does not fit any of these descriptions, then `age_group_type()` throws an error.

If `x` could belong to more than one type, then `age_group_type()` prefers "single" to "five" and "lt", and prefers "five" to "lt".

## Value

"single", "five", or "lt".

## Examples

```
age_group_type(c("5-9", "0-4", "100+"))
age_group_type(c("2", "5", "1"))
age_group_type(c("0", "1-4"))

## could be any "single" or "lt"
age_group_type("0")

## could be "five" or "lt"
age_group_type("80-84")
```

---

age\_labels

*Create Age Labels*

---

## Description

Create labels for age groups. The labels depend on the type argument:

- "single". One-year age groups, eg "0" or "55", and possibly an open age group, eg "90+".
- "five". Five-year age groups, eg "0-4" or "55-59", and possibly an open age group, eg "100+".
- "lt". Life table age groups, eg "0", "1-4", "5-9", "55-59", or "80+".

## Usage

```
age_labels(type, min = 0, max = 100, open = NULL)
```

**Arguments**

type	Type of age group labels: "single", "five", or "lt".
min	Minimum age. Defaults to 0.
max	Maximum age for closed age groups. Defaults to 100.
open	Whether the last age group is "open", ie has no upper limit.

**Details**

The first age group starts at the age specified by min. If open is TRUE, then the final age group starts at the age specified by max. Otherwise, the final age group ends at the age specified by max.

open defaults to TRUE when min equals zero, and to FALSE otherwise.

**Value**

A character vector.

**See Also**

[reformat\\_age\(\)](#)

**Examples**

```
age_labels(type = "single", min = 15, max = 40)
age_labels(type = "five")
age_labels(type = "lt", max = 80)
```

---

age\_lower

*Lower Limits, Midpoints, and Upper Limits of Age Groups*

---

**Description**

Given a vector x of age group labels, return a numeric vector.

- `age_lower()` returns the lower limits of each age group,
- `age_mid()` returns the midpoints, and
- `age_upper()` returns the upper limits.

Vector x must describe 1-year, 5-year or life-table age groups: see [age\\_labels\(\)](#) for examples. x can format these age groups in any way understood by [reformat\\_age\(\)](#).

**Usage**

```
age_lower(x)
```

```
age_mid(x)
```

```
age_upper(x)
```

**Arguments**

x                    A vector of age group labels.

**Details**

These functions can make age groups easier to work with. Lower and upper limits can be used for selecting on age. Replacing age group with midpoints can improve graphs.

**Value**

A numeric vector, the same length as x.

**See Also**

[reformat\\_age\(\)](#) [age\\_labels\(\)](#)

**Examples**

```
x <- c("15-19", "5-9", "50+")
age_lower(x)
age_mid(x)
age_upper(x)

## non-standard formats are OK
age_lower(c("infants", "100 and over"))

df <- data.frame(age = c("1-4", "10-14", "5-9", "0"),
                 rate = c(0.023, 0.015, 0.007, 0.068))
df
subset(df, age_lower(age) >= 5)
```

---

check\_age

*Validity Checks for Age Labels*

---

**Description**

Check that age labels can be parsed and, optionally, whether the labels are complete, unique, start at zero, and end with an open age group.

**Usage**

```
check_age(x, complete = FALSE, unique = FALSE, zero = FALSE, open = FALSE)
```

**Arguments**

x	A vector of age labels.
complete	If TRUE, test whether x has gaps.
unique	If TRUE, test whether x has duplicates.
zero	If TRUE, test whether youngest age group in x starts at 0.
open	If TRUE, test whether oldest age group in x is open.

**Details**

By default, `check_age()` only tests whether a set of labels can be parsed as single-year, five-year, or life table age groups. (See [age\\_group\\_type\(\)](#) for more on the three types of age group.) However, it can also apply the following tests:

- `complete`. Whether x includes all intermediate age groups, with no gaps. For instance, the labels `c("10-14", "15-19", "5-9")` are complete, while the labels `c("15-19", "5-9")` are not (because they are missing "10-14").
- `unique`. Whether x has duplicated labels.
- `zero`. Whether the youngest age group in x starts at age 0, ie whether it includes "0" or "0-4".
- `open`. Whether the oldest age group in x has an "open" age group, such as "100+" or "65+", that has no upper limit.

**Value**

TRUE, invisibly, or raises an error if a test fails.

**See Also**

- [reformat\\_age\(\)](#) to convert age labels to the format used by **poputils**.

**Examples**

```
try(
  check_age(c("10-14", "0-4", "15+"),
            complete = TRUE)
)

try(
  check_age(c("10-14", "5-9", "0-4", "5-9", "15+"),
            unique = TRUE)
)

try(
  check_age(c("10-14", "5-9", "15+"),
            zero = TRUE)
)

try(
  check_age(c("10-14", "0-4", "5-9"),
            open = TRUE)
)
```

---

check\_equal\_length      *Check that Arguments have Same Length*

---

**Description**

Check that x and y have the same length.

**Usage**

```
check_equal_length(x, y, nm_x, nm_y)
```

**Arguments**

x, y	Arguments to compare
nm_x, nm_y	Names to use in error message

**Value**

'TRUE', invisibly.

**Examples**

```
x <- 1:3
y <- 3:1
check_equal_length(x = x,
                  y = y,
                  nm_x = "x",
                  nm_y = "y")
```

---

check\_no\_overlap\_colnums

*Check that Colnum Vectors do not Overlap*

---

**Description**

Given a named list of colnum vectors, like those produced by `tidyselect::eval_select()`, throw an error if there is an overlap.

**Usage**

```
check_no_overlap_colnums(x)
```

**Arguments**

x	A named list of integer vectors.
---	----------------------------------

**Value**

TRUE, invisibly

**See Also**

[tidyselect::eval\\_select\(\)](#)

**Examples**

```
x <- list(arg1 = c(age = 1L),
         arg2 = c(gender = 4L, region = 5L))
check_no_overlap_colnums(x)
```

---

combine\_age

*Aggregate Age Group Labels*

---

**Description**

Convert age group labels to a less detailed classification. The three classifications recognized by `combine_age()` are "single", "five", and "lt", as defined on [age\\_labels\(\)](#). The following conversions are permitted:

- "single" → "lt"
- "single" → "five"
- "lt" → "five"

**Usage**

```
combine_age(x, to = c("five", "lt"))
```

**Arguments**

`x` A vector of age labels

`to` Type of age classification to convert to: "five" or "lt". Defaults to "five".

**Value**

If `x` is a factor, then `combine_age()` returns a factor; otherwise it returns a character vector.

**See Also**

- [age\\_labels\(\)](#) to create age group labels
- [reformat\\_age\(\)](#) to convert existing age group labels to a standard format
- [set\\_age\\_open\(\)](#) to set the lower limit of the open age group



**Examples**

```
x <- c("0", "5", "3", "12")
combine_age(x)
combine_age(x, to = "lt")
```

---

ex\_to\_lifetab\_brass     *Derive Life Tables that Match Life Expectancies, using a Brass Logit Model*

---

**Description**

Turn life expectancies at birth into full life tables, using the Brass logit model. The method is simple and is designed for simulations or for settings with little or no data on age-specific mortality rates. In settings where data on age-specific mortality is available, other methods might be more appropriate.

**Usage**

```
ex_to_lifetab_brass(
  target,
  standard,
  infant = c("constant", "linear", "CD", "AK"),
  child = c("constant", "linear", "CD"),
  closed = c("constant", "linear"),
  open = "constant",
  radix = 1e+05,
  suffix = NULL
)
```

**Arguments**

target	A data frame containing a variable called "ex", and possibly others. See Details.
standard	A data frame containing variables called age and lx, and possibly others. See details.
infant, child, closed, open	Methods used to calculate life expectancy. See <a href="#">lifetab()</a> for details.
radix	Initial population for the lx column in the derived life table(s). Default is 100000.
suffix	Optional suffix added to life table columns.

**Value**

A data frame containing one or more life tables.

## Method

The method implemented by `ex_to_lifetab_brass()` is based on the observation that, if populations A and B are demographically similar, then, in many cases,

$$\text{logit}(l_x^B) \approx \alpha + \beta \text{logit}(l_x^A)$$

where  $l_x$  is the "survivorship probability" quantity from a life table. When populations are similar,  $\beta$  is often close to 1.

Given (i) target life expectancy, (ii) a set of  $l_x^A$ , (referred to as a "standard"), and (iii) a value for  $\beta$ , `ex_to_lifetab_brass()` finds a value for  $\alpha$  that yields a set of  $l_x^B$  with the required life expectancy.

### target argument

`target` is a data frame specifying life expectancies for each population being modelled, and, possibly, inputs to the calculations, and index variables. Values in `target` are not age-specific.

- A variable called "ex", with life expectancy at birth must be included in `target`.
- A variable called "beta" with values for beta can be included in `target`. This variable can be an `rvec`. If no "beta" variable is included in `target`, then `ex_to_lifetab_brass()` assumes that  $\beta \equiv 1$ .
- A variable called "sex". If the infant argument to `ex_to_lifetab_brass()` is "CD" or "AK", or if the child argument is "CD", `target` must include a "sex" variable, and the labels for this variable are optional, and there is no restriction on labels.
- Other variables used to distinguish between life expectancies, such as time, region, or model variant.

### standard argument

`standard` is a data frame specifying the  $l_x$  to be used with each life expectancy in `ex`, and, optionally, values the average age person-years lived by people who die in each group,  $na_x$ . Values in `standard` are age-specific.

- A variable called "age", with labels that can be parsed by `reformat_age()`.
- A variable called "lx". Internally each set of  $l_x$  is standardized so that the value for age 0 equals 1. Within each set, values must be non-increasing. Cannot be an `rvec`.
- Additional variables used to match rows in `standard` to rows in `target`.

Internally, `standard` is merged with `target` using a left join from `target`, on any variables that `target` and `standard` have in common.

## References

- Brass W, Coale AJ. 1968. "Methods of analysis and estimation," in Brass, W, Coale AJ, Demeny P, Heisel DF, et al. (eds). *The Demography of Tropical Africa*. Princeton NJ: Princeton University Press, pp. 88–139.
- Moultrie TA, Timæus IM. 2013. Introduction to Model Life Tables. In Moultrie T, Dorrington R, Hill A, Hill K, Timæus I, Zaba B. (eds). *Tools for Demographic Estimation*. Paris: International Union for the Scientific Study of Population. [online version](#).

**See Also**

- [logit\(\)](#), [invlogit\(\)](#) Logit function
- [lifeexp\(\)](#) Calculate life expectancy from detailed inputs

**Examples**

```
## create new life tables based on level-1
## 'West' model life tables, but with lower
## life expectancy

library(dplyr, warn.conflicts = FALSE)

target <- data.frame(sex = c("Female", "Male"),
                    ex = c(17.5, 15.6))

standard <- west_lifetab |>
  filter(level == 1) |>
  select(sex, age, lx)

ex_to_lifetab_brass(target = target,
                   standard = standard,
                   infant = "CD",
                   child = "CD")
```

---

find_label_female	<i>Identify Sex or Gender Labels Referring to Females</i>
-------------------	---

---

**Description**

Given labels for sex or gender, try to infer which (if any) refer to females. If no elements look like a label for females, or if two or more elements do, then return NULL.

**Usage**

```
find_label_female(nms)
```

**Arguments**

nms                    A character vector

**Value**

An element of nms or NULL.

**See Also**

[find\\_label\\_male\(\)](#), [find\\_var\\_sexgender\(\)](#)

### Examples

```
find_label_female(c("Female", "Male")) ## one valid
find_label_female(c("0-4", "5-9"))     ## none valid
find_label_female(c("F", "Fem"))       ## two valid
```

---

find_label_male	<i>Identify Sex or Gender Labels Referring to Males</i>
-----------------	---

---

### Description

Given labels for sex or gender, try to infer which (if any) refer to males. If no elements look like a label for males, or if two or more elements do, then return NULL.

### Usage

```
find_label_male(nms)
```

### Arguments

nms	A character vector
-----	--------------------

### Value

An element of nms or NULL.

### See Also

[find\\_label\\_female\(\)](#), [find\\_var\\_sexgender\(\)](#)

### Examples

```
find_label_male(c("Female", "Male")) ## one valid
find_label_male(c("0-4", "5-9"))     ## none valid
find_label_male(c("male", "m"))       ## two valid
```

---

find_var_age	<i>Identify an Age Variable</i>
--------------	---------------------------------

---

**Description**

Find the element of nms that looks like an age variable. If no elements look like an age variable, or if two or more elements do, then return NULL.

**Usage**

```
find_var_age(nms)
```

**Arguments**

nms	A character vector
-----	--------------------

**Value**

An element of nms, or NULL.

**See Also**

[find\\_var\\_time\(\)](#), [find\\_var\\_sexgender\(\)](#)

**Examples**

```
find_var_age(c("Sex", "Year", "AgeGroup", NA)) ## one valid
find_var_age(c("Sex", "Year"))                ## none valid
find_var_age(c("age", "age.years"))           ## two valid
```

---

find_var_sexgender	<i>Identify a Sex or Gender Variable</i>
--------------------	--

---

**Description**

Find the element of nms that looks like a sex or gender variable. If no elements look like a sex or gender variable, or if two or more elements do, then return NULL.

**Usage**

```
find_var_sexgender(nms)
```

**Arguments**

nms	A character vector
-----	--------------------

**Value**

An element of nms, or NULL.

**See Also**

[find\\_var\\_age\(\)](#), [find\\_var\\_time\(\)](#), [find\\_label\\_female\(\)](#), [find\\_label\\_male\(\)](#)

**Examples**

```
find_var_sexgender(c("Sex", "Year", "AgeGroup", NA)) ## one valid
find_var_sexgender(c("Age", "Region"))                ## none valid
find_var_sexgender(c("sexgender", "sexes"))           ## two valid
```

---

find_var_time	<i>Identify a Time Variable</i>
---------------	---------------------------------

---

**Description**

Find the element of nms that looks like an time variable. If no elements look like a time variable, or if two or more elements do, then return NULL.

**Usage**

```
find_var_time(nms)
```

**Arguments**

nms                    A character vector

**Value**

An element of nms, or NULL.

**See Also**

[find\\_var\\_age\(\)](#), [find\\_var\\_sexgender\(\)](#)

**Examples**

```
find_var_time(c("Sex", "Year", "AgeGroup", NA)) ## one valid
find_var_time(c("Sex", "Region"))                ## none valid
find_var_time(c("time", "year"))                 ## two valid
```

---

groups_colnums	<i>Get a named vector of column indices for the grouping variables in a grouped data frame</i>
----------------	--

---

### Description

Constructed a named vector of indices equivalent to the vectors produced by `tidyselect::eval_select`, but for the grouping variables in an object of class "grouped\_df".

### Usage

```
groups_colnums(data)
```

### Arguments

`data` A data frame.

### Details

If data is not grouped, then `groups_colnums` returns a zero-length vector.

### Value

A named integer vector.

### Examples

```
library(dplyr)
df <- data.frame(x = 1:4,
                 g = c(1, 1, 2, 2))
groups_colnums(df)
df <- group_by(df, g)
groups_colnums(df)
```

---

lifetab	<i>Calculate Life Tables or Life Expectancies</i>
---------	---

---

### Description

Calculate life table quantities. Function `lifetab()` returns an entire life table. Function `lifeexp()` returns life expectancy at birth. The inputs can be mortality rates ( $m_x$ ) or probabilities of dying ( $q_x$ ), though not both.

**Usage**

```
lifetab(
  data,
  mx = NULL,
  qx = NULL,
  age = age,
  sex = NULL,
  ax = NULL,
  by = NULL,
  infant = c("constant", "linear", "CD", "AK"),
  child = c("constant", "linear", "CD"),
  closed = c("constant", "linear"),
  open = "constant",
  radix = 1e+05,
  suffix = NULL
)
```

```
lifeexp(
  data,
  mx = NULL,
  qx = NULL,
  age = age,
  sex = NULL,
  ax = NULL,
  by = NULL,
  infant = c("constant", "linear", "CD", "AK"),
  child = c("constant", "linear", "CD"),
  closed = c("constant", "linear"),
  open = "constant",
  suffix = NULL
)
```

**Arguments**

data	Data frame with mortality data.
mx	<tidyselect> Mortality rates, expressed as deaths per person-year lived. Possibly an <i>rvec</i> .
qx	<tidyselect> Probability of dying within age interval. An alternative to <i>mx</i> . Possibly an <i>rvec</i> .
age	<tidyselect> Age group labels. The labels must be interpretable by functions such as <code>reformat_age()</code> and <code>age_group_type()</code> . The first age group must start at age 0, and the last age group must be "open", with no upper limit.
sex	<tidyselect> Biological sex, with labels that can be interpreted by <code>reformat_sex()</code> . Needed only when <i>infant</i> is "CD" or "AK", or <i>child</i> is "CD".
ax	<tidyselect> Average age at death within age group. Optional. See Details.



by	<tidyselect> Separate life tables, or life expectancies, calculated for each combination the by variables. If a sex variable was specified, then that variable is automatically included among the by variables. If data is a <b>grouped</b> data frame, then the grouping variables take precedence over by.
infant	Method used to calculate life table values in age group "0". Ignored if age does not include age group "0". Default is "constant".
child	Method used to calculate life table values in age group "1-4". Ignored if age does not include age group "0". Default is "constant".
closed	Method used to calculate life table values in closed age intervals other than "0" and "1-4" (ie intervals such as "10-14" or "12"). Default is "constant".
open	Method used to calculate life table values in the final, open age group (eg "80+" or "110+"). Currently the only option is "constant".
radix	Initial population for the lx column. Default is 100000.
suffix	Optional suffix added to new columns in result.

## Value

A [tibble](#).

## Definitions of life table quantities

- $m_x$  Deaths per person-year lived.
- $q_x$  Probability of surviving from the start of age group 'x' to the end.
- $l_x$  Number of people alive at the start of age group x.
- $d_x$  Number of deaths in age group x
- $L_x$  Expected number of person years lived in age group x.
- $e_x$  Life expectancy, calculated at the start of age group x.

Mortality rates  $m_x$  are sometimes expressed as deaths per 1000 person-years lived, or per 100,000 person-years lived. `lifetab()` and `lifeexp()` assumed that they are expressed as deaths per person-year lived.

## Calculation methods

`lifetab()` and `lifeexp()` implement several methods for calculating life table quantities from mortality rates. Each method makes different assumptions about the way that mortality rates vary within age intervals:

- "constant" Mortality rates are constant within each interval.
- "linear". Life table quantity  $l_x$  is a straight line within each interval. Equivalently, deaths are distributed uniformly within each interval.
- "CD". Used only with age groups "0" and "1-4". Mortality rates decline over the age interval, with the slope depending on the absolute level of infant mortality. The formulas were developed by Coale and Demeny (1983), and used in Preston et al (2001).

- "AK". Used only with age group "0". Mortality rates decline over the age interval, with the slope depending on the absolute level of infant mortality. The formulas were developed by Andreev and Kingkade (2015), and are used in the Human Mortality Database [methods protocol](#).

For a detailed description of the methods, see the vignette for **poputils**.

### ax

ax is the average number of years lived in an age interval by people who die in that interval. Demographers sometimes refer to it as the 'separation factor'. If a non-NA value of ax is supplied for an age group, then the results for that age group are based on the formula

$$m_x = d_x / (n_x l_x + a_x d_x)$$

(where n\_x is the width of the age interval), over-riding any methods specified via the infant, child, closed and open arguments.

### Open age group when inputs are qx

The probability of dying, qx, is always 1 in the final (open) age group. qx therefore provides no direct information on mortality conditions within the final age group. lifetab() and lifeexp() use conditions in the second-to-final age group as a proxy for conditions in the final age group. When open is "constant" (which is currently the only option), and no value for ax in the final age group is provided, lifetab() and lifeexp() assume that  $m_A = m_{A-1}$ , and set  $L_A = l_A / m_A$ .

In practice, mortality is likely to be higher in the final age group than in the second-to-final age group, so the default procedure is likely to lead to inaccuracies. When the size of the final age group is very small, these inaccuracies will be inconsequential. But in other cases, it may be necessary to supply an explicit value for ax for the final age group, or to use mx rather than qx as inputs.

### Using rvecs to represent uncertainty

An **rvec** is a 'random vector', holding multiple draws from a distribution. Using an rvec for the mx argument to lifetab() or lifeexp() is a way of representing uncertainty. This uncertainty is propagated through to the life table values, which will also be rvecs.

### References

- Preston SH, Heuveline P, and Guillot M. 2001. *Demography: Measuring and Modeling Population Processes* Oxford: Blackwell.
- Coale AJ, Demeny P, and Vaughn B. 1983. *Regional model life tables and stable populations* New York: Academic Press.
- Andreev, E.M. and Kingkade, W.W., 2015. Average age at death in infancy and infant mortality level: Reconsidering the Coale-Demeny formulas at current levels of low mortality. *Demographic Research*, 33, pp.363-390.
- Human Mortality Database [Methods Protocol](#).
- [Tools for Demographic Estimation](#).

**See Also**

- [ex\\_to\\_lifetab\\_brass\(\)](#) Calculate life table from minimal inputs

**Examples**

```
library(dplyr)

## life table for females based on 'level 1'
## mortality rates "West" model life table
west_lifetab |>
  filter(sex == "Female",
         level == 1) |>
  lifetab(mx = mx)

## change method for infant and children from
## default ("constant") to "CD"
west_lifetab |>
  filter(sex == "Female",
         level == 1) |>
  lifetab(mx = mx,
         sex = sex,
         infant = "CD",
         child = "CD")

## calculate life expectancies
## for all levels, using the 'by'
## argument to distinguish levels
west_lifetab |>
  lifeexp(mx = mx,
         sex = sex,
         infant = "CD",
         child = "CD",
         by = level)

## obtain the same result using
## 'group_by'
west_lifetab |>
  group_by(level) |>
  lifeexp(mx = mx,
         sex = sex,
         infant = "CD",
         child = "CD")

## calculations based on 'qx'
west_lifetab |>
  lifeexp(qx = qx,
         sex = sex,
         by = level)
```

---

logit

*Logit and Inverse-Logit Functions*


---

**Description**

Transform values to and from the logit scale. `logit()` calculates

**Usage**

```
logit(p)
```

```
invlogit(x)
```

**Arguments**

<code>p</code>	Values in the interval $[0, 1]$ . Can be an atomic vector, a matrix, or an <a href="#">rvec</a> .
<code>x</code>	Values in the interval $(-\text{Inf}, \text{Inf})$ . Can be an atomic vector, a matrix, or an <a href="#">rvec</a> .

**Details**

$$x = \log\left(\frac{p}{1-p}\right)$$

and `invlogit()` calculates

$$p = \frac{e^x}{1+e^x}$$

To avoid overflow, `invlogit()` uses  $p = \frac{1}{1+e^{-x}}$  internally for  $x$  where  $x > 0$ .

In some of the demographic literature, the logit function is defined as

$$x = \frac{1}{2} \log\left(\frac{p}{1-p}\right).$$

`logit()` and `invlogit()` follow the conventions in statistics and machine learning, and omit the  $\frac{1}{2}$ .

**Value**

- A vector of doubles, if `p` or `x` is a vector.
- A matrix of doubles, if `p` or `x` is a matrix.
- An object of class `rvec_dbl`, if `p` or `x` is an `rvec`.

**Examples**

```
p <- c(0.5, 1, 0.2)
logit(p)
invlogit(logit(p))
```

---

`matrix_to_list_of_cols`*Turn a Matrix Into a List of Columns or Rows*

---

**Description**

Given a matrix, create a list, each element of which contains a column or row from the matrix.

**Usage**

```
matrix_to_list_of_cols(m)
```

```
matrix_to_list_of_rows(m)
```

**Arguments**

`m`                    A matrix

**Details**

`matrix_to_list_of_cols()` and `matrix_to_list_of_rows()` are internal functions, for use by developers, and would not normally be called directly by end users.

**Value**

- `matrix_to_list_of_cols()` A list of vectors, each of which is a column from `x`.
- `matrix_to_list_of_rows()`, A list of vectors, each of which is a row from `x`.

**Examples**

```
m <- matrix(1:12, nrow = 3)
matrix_to_list_of_cols(m)
matrix_to_list_of_rows(m)
```

---

nzmort *Mortality Data for New Zealand*

---

### Description

Counts of deaths and population, by age, sex, and calendar year, plus mortality rates, for New Zealand, 2021-2022.

### Usage

nzmort

### Format

A data frame with 84 rows and the following variables:

- year: Calendar year.
- gender: "Female", and "Male".
- age: Age, in life table age groups, with an open age group of 95+.
- deaths: Counts of deaths, randomly rounded to base 3.
- popn: Estimates of average annual population.
- mx: Mortality rates (deaths / popn).

### Source

Modified from data in tables "Deaths by age and sex (Annual-Dec)" and "Estimated Resident Population by Age and Sex (1991+) (Annual-Dec)" from Stats NZ online database *Infoshare*, downloaded on 24 September 2023.

---

nzmort\_rvec *Mortality Data and Probabilistic Rates for New Zealand*

---

### Description

A modified version of `link{nzmort}` where `mx` columns is an `rvec`, rather than an ordinary R vector. The `rvec` holds the random draws from the posterior distribution obtained from by a Bayesian statistical model.

### Usage

nzmort\_rvec

### Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 84 rows and 4 columns.

---

reformat_age	<i>Reformat Age Group Labels</i>
--------------	----------------------------------

---

### Description

Convert age group labels to one of three formats:

- Single-year age groups, eg "0", "1", ..., "99", "100+".
- Life table age groups, eg "0", "1-4", "5-9", . . . , "95-99", "100+".
- Five-year age groups, eg "0-4", "5-9", ..., "95-99", "100+".

By default `reformat_age()` returns a factor that includes all intermediate age groups. See below for examples.

### Usage

```
reformat_age(x, factor = TRUE)
```

### Arguments

x	A vector.
factor	Whether the return value should be a factor.

### Details

`reformat_age()` applies the following algorithm:

1. Tidy and translate text, eg convert "20 to 24 years" to "20-24", convert "infant" to "0", or convert "100 or more" to "100+".
2. Check whether the resulting labels could have been produced by [age\\_labels\(\)](#). If not, throw an error.
3. If `factor` is `TRUE` (the default), then return a factor. The levels of this factor include all intermediate age groups. Otherwise return a character vector.

When `x` consists entirely of numbers, `reformat_age()` also checks for two special cases:

- If every element of `x` is a multiple of 5, and if  $\max(x) \geq 50$ , then `x` is assumed to describe 5-year age groups
- If every element of `x` is 0, 1, or a multiple of 5, with  $\max(x) \geq 50$ , then `x` is assumed to describe life table age groups.

### Value

If `factor` is `TRUE`, then `reformat_age()` returns a factor; otherwise it returns a character vector.

### See Also

[age\\_labels\(\)](#), [reformat\\_sex\(\)](#)

**Examples**

```

reformat_age(c("80 to 84", "90 or more", "85 to 89"))

## factor contains intermediate level missing from 'x'
reformat_age(c("80 to 84", "90 or more"))

## non-factor
reformat_age(c("80 to 84", "90 or more"),
             factor = FALSE)

## single
reformat_age(c("80", "90plus"))

## life table
reformat_age(c("0",
              "30-34",
              "10--14",
              "1-4 years"))

```

---

reformat\_sex

*Reformat a Binary Sex Variable*


---

**Description**

Reformat a binary sex variable so that it consists entirely of values "Female", "Male", and possibly NA and any values included in except.

**Usage**

```
reformat_sex(x, except = NULL, factor = TRUE)
```

**Arguments**

x	A vector.
except	Values to exclude when reformatting.
factor	Whether the return value should be a factor.

**Details**

When parsing labels, reformat\_sex() ignores case: "FEMALE" and "fEmAlE" are equivalent.

White space is removed from the beginning and end of labels.

reformat\_sex() does not try to interpreting numeric codes (eg 1, 2).

**Value**

If factor is TRUE, then reformat\_age() returns a factor; otherwise it returns a character vector.



**See Also**

[age\\_labels\(\)](#), [reformat\\_age\(\)](#)

**Examples**

```
reformat_sex(c("F", "female", NA, "MALES"))

## values supplied for 'except'
reformat_sex(c("Fem", "Other", "Male", "M"),
             except = c("Other", "Diverse"))

## return an ordinary character vector
reformat_sex(c("F", "female", NA, "MALES"),
             factor = FALSE)
```

---

set_age_open	<i>Specify Open Age Group</i>
--------------	-------------------------------

---

**Description**

Set the lower limit of the open age group. Given a vector of age group labels, recode all age groups with a lower limit greater than or equal to <lower> to <lower>+.

**Usage**

```
set_age_open(x, lower)
```

**Arguments**

x	A vector of age labels.
lower	An integer. The lower limit for the open age group.

**Details**

set\_age\_open() requires that x and the return value have a a five-year, single-year, or life table format, as described in [age\\_labels\(\)](#).

**Value**

A modified version of x.

**See Also**

- set\_age\_open() uses [age\\_lower\(\)](#) to identify lower limits
- [age\\_labels\(\)](#) for creating age labels from scratch

## Examples

```
x <- c("100+", "80-84", "95-99", "20-24")
set_age_open(x, 90)
set_age_open(x, 25)
```

---

to\_matrix

*Build a Matrix from Measure and ID Variables*

---

## Description

Build a matrix where the elements are values of a measure variable, and the rows and columns are formed by observed combinations of ID variables. The ID variables picked out by rows and cols must uniquely identify cells. `to_matrix()`, unlike `stats::xtabs()`, does not sum across multiple combinations of ID variables.

## Usage

```
to_matrix(x, rows, cols, measure)
```

## Arguments

x	A data frame.
rows	The ID variable(s) used to distinguish rows in the matrix.
cols	The ID variable(s) used to distinguish columns in the matrix.
measure	The measure variable, eg rates or counts.

## Value

A matrix

## Examples

```
x <- expand.grid(age = c(0, 1, 2),
                sex = c("F", "M"),
                region = c("A", "B"),
                year = 2000:2001)
x$count <- 1:24

to_matrix(x,
          rows = c(age, sex),
          cols = c(region, year),
          measure = count)

to_matrix(x,
          rows = c(age, sex, region),
          cols = year,
          measure = count)
```

```
## cells not uniquely identified
try(
  to_matrix(x,
            rows = age,
            cols = sex,
            measure = count)
)
```

---

west\_lifetab

*Coale-Demeny West Model Life Tables*

---

### **Description**

Life table quantities from the "West" family of Coale-Demeny model life tables.

### **Usage**

```
west_lifetab
```

### **Format**

A data frame with 1,050 rows and the following variables:

- level: Index for life table. Lower level implies lower life expectancy.
- sex: "Female", and "Male".
- age: Age, in life table age groups, with an open age group of 95+.
- mx: Mortality rate.
- ax: Average years lived in age interval by people who die in that interval.
- qx: Probability some alive at start of age interval dies during interval.
- lx: Number of people still alive at start of age interval.
- dx: Number of people dying during age interval.
- Lx: Number of person-years lived during age interval.
- ex: Expectation of life at start of age interval.

### **Source**

Coale A, Demeny P, and Vaughn B. 1983. Regional model life tables and stable populations. 2nd ed. New York: Academic Press, accessed via `demogR::cdmltw()`.

# Index

## \* datasets

- nzmort, 22
- nzmort\_rvec, 22
- west\_lifetab, 27

age\_group\_type, 2

age\_group\_type(), 6, 16

age\_labels, 3

age\_labels(), 4, 5, 8, 23, 25

age\_lower, 4

age\_lower(), 25

age\_mid (age\_lower), 4

age\_upper (age\_lower), 4

check\_age, 5

check\_equal\_length, 7

check\_no\_overlap\_colnums, 7

combine\_age, 8

ex\_to\_lifetab\_brass, 9

ex\_to\_lifetab\_brass(), 19

find\_label\_female, 11

find\_label\_female(), 12, 14

find\_label\_male, 12

find\_label\_male(), 11, 14

find\_var\_age, 13

find\_var\_age(), 14

find\_var\_sexgender, 13

find\_var\_sexgender(), 11–14

find\_var\_time, 14

find\_var\_time(), 13, 14

groups\_colnums, 15

invlogit (logit), 20

invlogit(), 11

lifeexp (lifetab), 15

lifeexp(), 11

lifetab, 15

lifetab(), 9

logit, 20

logit(), 11

matrix\_to\_list\_of\_cols, 21

matrix\_to\_list\_of\_rows  
(matrix\_to\_list\_of\_cols), 21

nzmort, 22

nzmort\_rvec, 22

reformat\_age, 23

reformat\_age(), 4–6, 8, 10, 16, 25

reformat\_sex, 24

reformat\_sex(), 16, 23

rvec, 10, 16, 18, 20, 22

set\_age\_open, 25

set\_age\_open(), 8

tibble, 17

tidyselect, 16, 17

tidyselect::eval\_select(), 7, 8

to\_matrix, 26

west\_lifetab, 27