

Package `hadith` The

LaTeX in Hadith typeset to way easy An

Alzahab Abo Nibras

nibras.abo.alzahab@gmail.com

Version 1.1.0 2025-01-15

ملخص

Seven the from diacritics) Arabic (with text Hadith typesetting for macros provides package `hadith` The .LaTeXLua or LaTeXXe with works and package `quran` the after modeled is It tradition. Islamic of Books Canonical hadith translations, English hadiths), 36,390) collections seven all loading, chapter on-demand adds Version 1.1.0 names. collection case-insensitive and grades,

المحتويات

Introduction ١

Prophet of approvals and actions, sayings, Hadith---the typeset to way easy an offers package `hadith` The package. `quran` the after modeled and by inspired is It collections. canonical the ---fromﷺ8.0 Muhammad

Requirements ٢

requires: package The

(LaTeXpdf (not LaTeXLua or LaTeXXe •

text right-to-left for package `bidi` •

support language Arabic for `polyglossia` •

etc.) Scheherazade, (Amiri, font Unicode Arabic •

`xstring`, `xparse`, `xkeyval` •

Package the Loading ٣

:`hyperref` before and `polyglossia` after package the Load

```
\usepackage[sixbooks,showgrade,showtrans]{hadith}
```

Options Package ٤

Description	Option
al-Bukhari Sahih Load	<code>bukhari</code>
Muslim Sahih Load	<code>muslim</code>
Dawud Abi Sunan Load	<code>abudawud</code>
at-Tirmidhi Jami Load	<code>tirmidhi</code>
an-Nasa'i Sunan Load	<code>nasai</code>
Majah Ibn Sunan Load	<code>ibnmajah</code>
Malik Muwatta Load	<code>malik</code>
Ahmad Musnad Load	<code>ahmad</code>
al-Darimi Sunan Load	<code>darimi</code>
(default) Books Canonical Six the Load	<code>sixbooks</code>
collections 9 all Load	<code>all</code>
numbers hadith Hide	<code>nonumber</code>
numbers for brackets ornamental Use	<code>ornbraces</code>
formatting Compact	<code>compact</code>
on) (default: grades hadith Show	<code>showgrade</code>
off) (default: translations English Show	<code>showtrans</code>

Commands ٥

command Main ١.٥

`[collection][number]\adith`

work). all BUKHARI ,Bukhari ,bukhari) case-insensitive are names Collection hadith. specified the Typeset after. break paragraph a adds \adith* version starred The

command Range ٢.٥

`[collection][start-end]\adithrange`

.([bukhari] [1-10] (e.g., hadiths of range a Typeset

commands Shortcut ٣.٥

Equivalent	Command
------------	---------

[bukhari][n]\adith	{n}\adithbukhari
[muslim][n]\adith	{n}\adithmuslim
[abudawud][n]\adith	{n}\adithabudawud
[tirmidhi][n]\adith	{n}\adithtirmidhi
[nasai][n]\adith	{n}\adithnasai
[ibnmajah][n]\adith	{n}\adithibnmajah

command Citation ٤.٥

[collection][number]\adithcite

•"[#1 Bukhari, al ``[Sahih like citation inline an Produces

commands Metadata ٥.٥

collection. a of name display the Returns --- {collection}\adithname

name. section/chapter the Returns --- {collection}{number}\adithsection

Loading On-Demand ٦

package at loaded are files (index) metadata Only limits. memory TeX avoid to loading on-demand uses package The
This requested. first is chapter that from hadith a when automatically loaded are files text Chapter initialization.

collections. 6 across hadiths 34,532 with even low usage memory keeps

Collections Available ٧

Chapters	Hadiths	Collection
98	7,589	al-Bukhari Sahih
57	7,563	Muslim Sahih
43	5,274	Dawud Abi Sunan
49	3,998	at-Tirmidhi Jami
52	5,765	an-Nasa'i Sunan
38	4,343	Majah Ibn Sunan
337	34,532	Total

Source Data

The domain, (public <https://github.com/fawazahmed0/hadith-api> from sourced is text Hadith translations. English and (tashkeel) diacritics Arabic full includes text The Unlicense).

License

3c.1 LPPL documentation): ,.sty) code Package •

domain Public files): .def) data text Hadith •

domain public works, Classical itsefl: text Hadith •