

NAME

`expr` – c-like expression library

SYNOPSIS

```
#include <graphviz/expr.h>

Expr_t*          exopen(Exdisc_t* );
Excc_t*          excopen(Expr_t*, Exccdisc_t* );
int              exccclose(Excc_t* );
void             exclose(Expr_t*, int );
char*            excontext(Expr_t*, char*, int );
void             exerror(const char*, ... );
Extype_t          exeval(Expr_t*, Exnode_t*, void* );
Exnode_t*         exexpr(Expr_t*, const char*, Exid_t*, int );

Exnode_t*         excast(Expr_t*, Exnode_t*, int, Exnode_t*, int );
Exnode_t*         exnewnode(Expr_t*, int, int, int, Exnode_t*, Exnode_t* );
void             exfreenode(Expr_t*, Exnode_t* );
int              expush(Expr_t*, const char*, int, const char*, Sfio_t* );
int              expop(Expr_t* );
int              excomp(Expr_t*, const char*, int, const char*, Sfio_t* );
int              extoken(Expr_t* );
char*            extype(int );
Extype_t          exzero(int );
```

DESCRIPTION

`exopen()` is the first function called. `exclose()` is the last function called. `excopen()` is the called if code generation will be used. `exccclose()` releases the state information allocated in `excopen()`.

SEE ALSO