

Package ‘survSampleSize’

June 21, 2026

Title Sample Size Calculator for Survival Endpoint Clinical Trials

Version 0.1.2

Description An interactive 'shiny' application for sample size and power calculation under general conditions for clinical trials with survival endpoints. Implements the weighted log-rank method of Lu (2021) [doi:10.1002/pst.2069](https://doi.org/10.1002/pst.2069) via the 'lrrstat' package, supporting non-proportional hazards, delayed treatment effects, unequal allocation and dropout, as well as the classic method of Freedman (1982) [doi:10.1002/sim.4780010204](https://doi.org/10.1002/sim.4780010204) via the 'powerSurvEpi' package. Results are presented interactively with survival curves and event-prediction timelines.

License MIT + file LICENSE

Encoding UTF-8

Imports lrrstat, powerSurvEpi, shiny, stats

Suggests bslib, DT, ggplot2, knitr, plotly, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

Config/roxygen2/version 8.0.0

NeedsCompilation no

Author Huai Jiang [aut, cre]

Maintainer Huai Jiang <13661928191@163.com>

Repository CRAN

Date/Publication 2026-06-21 10:40:02 UTC

Contents

run_app	2
Index	3

`run_app`*Launch the Survival Sample Size Shiny App*

Description

Opens an interactive Shiny application for sample size calculation in clinical trials with survival endpoints, implementing `lrstat` (Lu 2021) and `powerSurvEpi` (Freedman 1982).

Usage

```
run_app()
```

Value

No return value. Launches the Shiny app in the browser.

Examples

```
if (interactive()) {  
  run_app()  
}
```

Index

run_app, [2](#)